



REEFER TRUCK RANGE SUPERIOR PERFORMANCE AND COST EFFICIENT



ICE CREAM



MEAT



PROCESSED FOOD



DAIRY PRODUCTS



FRUITS & VEGETABLES



PHARMA PRODUCTS





SEA FOOD



Available in  &  Diesel Fuel Option



REFRIGERATOR CONTAINER



REFRIGERATION UNIT

FEATURES:

- ▶ Low fuel Consumption
- ▶ lower life cycle costs
- ▶ Easy to use and service
- ▶ Reduced emission & waste
- ▶ Quieter operation
- ▶ Capacities that match your requirements

SAFETY:

- ▶ Diesel/Electric auto switching
- ▶ Pre trip check
- ▶ Fuel Saver Mode
- ▶ Set point warning
- ▶ Oil & coolant Level alert
- ▶ Key pad with Lock out
- ▶ Auto phase correction



ADVANTAGE :

- ▶ World Class R&D
- ▶ Higher Performance But Lower Operation Cost
- ▶ Green Tech™ Engine
- ▶ Quieter Operation
- ▶ Smart Controller: EM & SR-3
- ▶ Extended maintenance interval – 2000 hrs

SPECIFICATIONS

Container & Refrigeration Unit Specification

	Samrat GS 4240 WB	Samrat GS 3335 WB
Reefer Box Length	5785 mm (19' Feet)	4268 mm (14' Feet)
External Body	M.S. Corrugated Panel	M.S. Corrugated Panel
Internal body	S.S. (Food grade)	PPGI
Insulation	Puff insulation Panel thk 120 mm (Side walls LH/RH - 100 mm)	Puff insulation Panel thk 120 mm (All Walls)
Container External Dim (L x W x H) mm	5785 X 2200 X 2165 mm	4268 X 2200 X 2165 mm
Container Internal Dim (L X W X H) mm	5545 X 2000 X 1900 mm	4028 X 1960 X 1900 mm
Floor	U Profile Aluminium/ (T grating optional)	U Profile Aluminium/ (T grating optional)
Rear door opening	270° opening angle - Double leaf	270° opening angle - Double leaf

Reefer Unit Specifications

	Thermo king/Reputed make	Thermo king/Reputed make
Make	Thermo king/Reputed make	Thermo king/Reputed make
Model	T 600 M/Equivalent make	T 600 M/Equivalent make
Operating temperature range	(-18° C to - 25° C) & (0 °C to + 15° c)	(-18° C to - 25° C) & (0 °C to + 15° c)
Battery (Additional) for Reefer unit	12 volt	12 volt
Warranty on refrigeration unit	02 years (container warranty 01 year)	02 years (container warranty 01 year)
Telematics systems		

Disclaimer: The specifications provided are subject to change without any prior notice as per the company policy of continuous improvement of its product & service.

Truck Specification

	Samrat GS	Super GS	Sartaj 5252
GVW	10700	8720	5200
Wheel Base	3335/4240/4760	4240	2515
Capacity	14 ft./17 ft./19 ft./21 ft.	17 ft./19 ft.	9 ft.
Application	Meat product, Poultry, vegetables , ice cream, pharmaceuticals, dairy products & other Perishable food stuff		

WHY CHOOSE SML?

- ▶ Earn from Day one
- ▶ Ready to Use
- ▶ Wide & far reaching network
- ▶ Higher profit per Trip due to better fuel efficiency.
- ▶ Highly reliable, Sturdy & durable with proven OEM quality standards.
- ▶ Less operation & maintenance cost
- ▶ Excellent service support

Warranty

Engine and Gear Box - 3 years on unlimited kilometers run
Vehicle and Differential - 2 years on unlimited kilometers run

*T&C Apply.

Authorised Dealer

SML ISUZU LTD.

Address : S.C.O. 204-205, Sector 34-A, Chandigarh - 160022
Pan India SMLI Sales Support - 09319841155



FREE
DRIVER ON WHEELS
Accidental Insurance for 3 years